





USD \$ 9,750 Depart USA

Fuel Diesel
Year 2011
Voltage 240/120
Hours 6088 Hours
Phase 1/3 Phase
Make Ingersoll Rand
Model G40WMI-2A-T4I
Serial 431678UIVD62
Hertz 60 Hz / 50 Hz
Wires 12 Lead
Kilo Watts 35 KVA 28 kW
Mounted Trailer Mounted
Switch Selectable
Enclosure Sound Attenuated Enclosure
Enclosed Weather Proof Enclosure
Lead Reconnectable
Length 144
Width 66
Height 70
Weight 3520 GVWR
Condition Well Maint. Unit, Tested, Serviced, Ready to go!
Circuit Breaker Yes

Product Gallery









DOOSAN Doosan International USA, Inc.

Model	TH	LINE KVA	PRIME KW	FLA
G40	48C	35	28	42
	JP	35	28	98
	480/350/1P	21	21	89

PF	0.8	HZ	60	RPM	1800
RATED AMBIENT	40C	INSULATION CLASS	H		
UNBALANCE LOAD %	25				

INTERTEK
ELECTRICAL ASSEMBLY
RELATED TO MOBILE
ENGINE GENERATORS
CERTIFIED TO
CAN/CSA
C22.2 NO. 14
44023901



